DOI: 10.5152/tjg.2026.00263

Erratum

In the original article authored by Fengqin Fu, Hui Pu, Weiping Huang, Lin Han, Yongbin Deng, and Yadong Lai, entitled "Gastrointestinal Bleeding in Small Intestinal Stromal Tumors: A Clinicopathological and Survival Analysis" (Turk J Gastroenterol. 2026;37(3):330-338. doi: 10.5152/tjg.2025.25205), errors were identified in Table 1 and in the related text. Subsequently, ithe number of patients with Ki-67 ≤5% in the non-GI bleeding group was corrected from 22 to 63, and the number of patients with Ki-67 >5% was corrected from 83 to 42 in Table 1. The corresponding F-value and P-value for Ki-67 were corrected to 1.059 and .303, respectively. Accordingly, the Results section was revised to indicate that no significant difference in Ki-67 percentage was observed between the GI bleeding and non-GI bleeding groups, while the significant difference in tumor rupture remained. In the Discussion section, the tumor rupture rates were corrected from 15.2% vs. 3.8% to 17.0% vs. 6.7%, and the Ki-67 expression values were corrected to 48.9% vs. 40.0% (P = .303). These corrections do not affect the data reported in Table 2, the Kaplan–Meier survival analyses, or the Cox proportional hazards regression analysis, which were performed using the correct Ki-67 stratification data (87 patients with Ki-67 ≤5% and 65 patients with Ki-67 >5%). The online version of the original article has been updated accordingly. You can access the revised version of this original article via the following link: https://www.turkjgastroenterol.org/index.php/tjg/article/view/4325

Copyright @ Author(s) – Available online at https://www.turkjgastroenterol.org.
Content of this journal is licensed under a Creative Commons Attribution (CC BY) 4.0 International License